

# AES ARSLAN EXHAUST SYSTEMS



## **2023 PRODUCT CATALOGUE**

[www.aesar slan.com](http://www.aesar slan.com)



	PAGE NO
About Us .....	1
Elbows .....	2
Straight Pipes.....	3
Y Pipes .....	4
Hollow Exhausts .....	5
Round Exhausts (65 mm) .....	11
Round Exhausts (76 mm) .....	12
Round Exhausts (90 mm) .....	17
Round Exhausts (100 mm) .....	22
Round Exhausts (120 mm) .....	25
Square Exhausts (60 mm x 90 mm) .....	26
Square Exhausts (65 mm x 100 mm) .....	27
Square Exhausts (65 mm x 140 mm) .....	28
Square Exhausts (75 mm x 175 mm) .....	29
Square Exhausts (80 mm x 90 mm) .....	30
Square Exhausts (80 mm x 180 mm) .....	32
Square Exhausts (85 mm x 85 mm) .....	33
Oval Exhausts (55 mm x 80 mm) .....	34
Oval Exhausts (60 mm x 100 mm) .....	36
Oval Exhausts (75 mm x 100 mm) .....	38
Oval Exhausts (80 mm x 140 mm) .....	41
Oval Exhausts (100 mm x 115 mm) .....	43
Oval Exhausts (100 mm x 160 mm) .....	46
Mufflers .....	47
Motorcycle Exhausts .....	50
Remote Control Exhausts .....	53
Flanges .....	54
Clamps .....	55
Perforated Pipes .....	56
Technical Information .....	58



Since its foundation in 1975, AES Arslan has become the provider for many established manufacturing companies.

Beside machine and automotive accessories, AES Arslan manufactures stainless steel exhaust covers and accessories under its own brand of AES ARSLAN.



Company principal is quality, honesty and customer satisfaction, AES Arslan and its young and dynamic personnel continues to serve with the company's decades long accumulated high knowledge, experience and high quality standards.

In future, AES Arslan is aiming to obtain further achievements by extending its product range and serving more satisfied customers.





**Elbow-51**

Outer Diameter: 50.8 mm  
Angle: 90 degree  
Thickness: 1.5 mm



**Elbow-60**

Outer Diameter: 60.3 mm  
Angle: 90 degree  
Thickness: 1.5 mm



**Elbow-63**

Outer Diameter: 63.5 mm  
Angle: 90 degree  
Thickness: 1.5 mm



**Elbow-70**

Outer Diameter: 70 mm  
Angle: 90 degree  
Thickness: 1.5 mm



**Elbow-76**

Outer Diameter: 76.10 mm  
Angle: 90 degree  
Thickness: 1.5 mm



# Straight Pipes



**NEW**



**SP-51**

Outer Diameter: 50.8 mm  
Thickness: 1.5 mm  
Length: 1 m

**NEW**



**SP-60**

Outer Diameter: 60.3 mm  
Thickness: 1.5 mm  
Length: 1 m

**NEW**



**SP-63**

Outer Diameter: 63.5 mm  
Thickness: 1.5 mm  
Length: 1 m

**NEW**



**SP-70**

Outer Diameter: 70.0 mm  
Thickness: 1.5 mm  
Length: 1 m

**NEW**



**SP-76**

Outer Diameter: 76.1 mm  
Thickness: 1.5 mm  
Length: 1 m



## PÇ-45

Body Diameter: -  
Inlet Diameter: 45 mm  
Body Length: 100 mm  
Total Length: 100 mm



## PÇ-51

Body Diameter: -  
Inlet Diameter: 51 mm  
Body Length: 100 mm  
Total Length: 100 mm



## PÇ-60

Body Diameter: -  
Inlet Diameter: 60 mm  
Body Length: 100 mm  
Total Length: 100 mm



## PÇ-70

Body Diameter: -  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 120 mm



# Hollow Exhausts



HOLLOW EXHAUSTS SECTION



**PY-4520-CH**

Body Diameter: 45 mm  
Inlet Diameter: 45 mm  
Body Length: 200 mm  
Total Length: 200 mm



**PY-5120-CH**

Body Diameter: 51 mm  
Inlet Diameter: 51 mm  
Body Length: 200 mm  
Total Length: 200 mm



**PY-5415-CA**

Body Diameter: 54 mm  
Inlet Diameter: 54 mm  
Body Length: 150 mm  
Total Length: 150 mm



**PY-5415-CAS**

Body Diameter: 54 mm  
Inlet Diameter: 54 mm  
Body Length: 150 mm  
Total Length: 150 mm



**PY-6015-CAS**

Body Diameter: 60 mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 150 mm



**PY-6020-CH**

Body Diameter: 60mm  
Inlet Diameter: 60 mm  
Body Length: 200 mm  
Total Length: 200 mm



### **PY-650745-C**

Body Diameter: 65 mm  
Inlet Diameter: 45 mm  
Body Length: 70 mm  
Total Length: 85 mm



### **PY-650745-CH**

Body Diameter: 65 mm  
Inlet Diameter: 45 mm  
Body Length: 70 mm  
Total Length: 85 mm



### **PY-650751-C**

Body Diameter: 65 mm  
Inlet Diameter: 51 mm  
Body Length: 70 mm  
Total Length: 85 mm



### **PY-650751-CH**

Body Diameter: 65 mm  
Inlet Diameter: 51 mm  
Body Length: 75 mm  
Total Length: 85 mm



### **PY-6512-CAW**

Body Diameter: 65 mm  
Inlet Diameter: 65 mm  
Body Length: 120 mm  
Total Length: 120 mm



### **PY-6512-CA4**

Body Diameter: 65 mm  
Inlet Diameter: 65 mm  
Body Length: 120 mm  
Total Length: 120 mm



# Hollow Exhausts



## **PY-6517-CAW**

Body Diameter: 65 mm  
Inlet Diameter: 65 mm  
Body Length: 170 mm  
Total Length: 170 mm



## **PY-6520-CH**

Body Diameter: 65 mm  
Inlet Diameter: 65 mm  
Body Length: 200 mm  
Total Length: 200 mm

# Hollow Exhausts



HOLLOW EXHAUSTS SECTION



## PY-7012-CAW

Body Diameter: 70 mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 120 mm



## PY-7012-CA5

Body Diameter: 70mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 120 mm



## PY-7015-CAU

Body Diameter: 70 mm  
Inlet Diameter: 70 mm  
Body Length: 150 mm  
Total Length: 150 mm



## PY-7020-CSB

Body Diameter: 70 mm  
Inlet Diameter: 54 mm  
Body Length: 200 mm  
Total Length: 200 mm



## PY-7020-CRR

Body Diameter: 70 mm  
Inlet Diameter: 70 mm  
Body Length: 200 mm  
Total Length: 200 mm

# Hollow Exhausts



HOLLOW EXHAUSTS SECTION



## PO-72120-CAP

Body Diameter: 72x80 mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 120 mm



## PO-72121-CAP

Body Diameter: 72x80 mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 120 mm



## PY-7512-CH

Body Diameter: 75 mm  
Inlet Diameter: 75 mm  
Body Length: 120 mm  
Total Length: 120 mm



## PY-7512-CAS

Body Diameter: 75 mm  
Inlet Diameter: 75 mm  
Body Length: 120 mm  
Total Length: 120 mm

# Hollow Exhausts



HOLLOW EXHAUSTS SECTION



## PY-8012-CAJ

Body Diameter: 80mm  
Inlet Diameter: 80 mm  
Body Length: 120 mm  
Total Length: 120 mm



## PY-8015-CA6

Body Diameter: 80 mm  
Inlet Diameter: 80 mm  
Body Length: 150 mm  
Total Length: 150 mm



## PY-8035-CA

Body Diameter: 80 mm  
Inlet Diameter: 80 mm  
Body Length: 350 mm  
Total Length: 350 mm



## PY-8512-CA5

Body Diameter: 85 mm  
Inlet Diameter: 85 mm  
Body Length: 120 mm  
Total Length: 120 mm



## PY-9020-CQ7

Body Diameter: 90 mm  
Inlet Diameter: 90 mm  
Body Length: 200 mm  
Total Length: 200 mm



## PY-9035-CA

Body Diameter: 90 mm  
Inlet Diameter: 90 mm  
Body Length: 350 mm  
Total Length: 350 mm

# Round Exhausts (65 mm)



ROUND EXHAUSTS SECTION



**PY-651245-C**

Body Diameter: 65 mm  
Inlet Diameter: 45 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-651245-CAA**

Body Diameter: 65 mm  
Inlet Diameter: 45 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-651245-CH**

Body Diameter: 65 mm  
Inlet Diameter: 45 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-651745-C**

Body Diameter: 65 mm  
Inlet Diameter: 45 mm  
Body Length: 170 mm  
Total Length: 200 mm



**PY-651745-CAA**

Body Diameter: 65 mm  
Inlet Diameter: 45 mm  
Body Length: 170 mm  
Total Length: 200 mm



# Round Exhausts (76 mm)



ROUND EXHAUSTS SECTION



**PY-801251-CH**

Body Diameter: 76 mm  
Inlet Diameter: 51 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-801260-CB**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-801260-CAA**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-801260-CAR**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-801260-CAAB**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-801260-CBB**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm

# Round Exhausts (76 mm)



ROUND EXHAUSTS SECTION



## PY-801260-CAM

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



## PY-801260-CAMF

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



## PY-80173-C

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 170 mm



## PY-80173-CA

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 170 mm



## PY-801760-CAA

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 170 mm  
Total Length: 200 mm



## PY-801760-CB

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 170 mm  
Total Length: 200 mm

# Round Exhausts (76 mm)



ROUND EXHAUSTS SECTION



**PY-800751-CHÇ**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 70 mm  
Total Length: 190 mm



**PY-80103-CBÇ**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-801260-CAABÇ**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-801260-CÇ**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-801260-CAAÇ**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-801260-CAABÇR**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



# Round Exhausts (76 mm)



**PY-801260-CAKÇ**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-801260-CBÇ**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-801260-CAMBÇ**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-801260-CAMBÇF**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-801260-CAKÇB**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-801260-CAABÇB**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm

# Round Exhausts (76 mm)



# Round Exhausts (90 mm)



ROUND EXHAUSTS SECTION



**PY-901260-CB**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-901260-CAA**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-901260-CAR**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-901260-CAAB**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-901260-CBB**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-901260-CAM**

Body Diameter: 76 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm

# Round Exhausts (90 mm)



ROUND EXHAUSTS SECTION



**PY-901260-CAMF**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-901276-CH**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-901276-CHA**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-90173-C**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 170 mm



**PY-901760-CAA**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 170 mm  
Total Length: 200 mm



**PY-901760-CB**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 170 mm  
Total Length: 200 mm

# Round Exhausts (90 mm)



**PY-90103-CBÇ**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-901260-CAKÇ**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-901260-CAABÇ**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-901260-CAAÇ**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-901260-CAMBÇ**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-901260-CBRÇ**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm

# Round Exhausts (90 mm)



**PY-901260-CAABÇR**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-901260-CAABÇB**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-901260-CAMBÇF**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-901260-CAKÇB**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-901276-CHBÇ**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-901276-CHABÇ**

Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm

# Round Exhausts (90 mm)



ROUND EXHAUSTS SECTION



**PY-901260-CÇ**  
Body Diameter: 90 mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



# Round Exhausts (100 mm)



ROUND EXHAUSTS SECTION



**PY-1001265-CAA**

Body Diameter: 100 mm  
Inlet Diameter: 65 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-1001265-CB**

Body Diameter: 100 mm  
Inlet Diameter: 65 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-1001265-CAR**

Body Diameter: 100 mm  
Inlet Diameter: 65 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-1001265-CAAB**

Body Diameter: 100 mm  
Inlet Diameter: 65 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-1001265-CBB**

Body Diameter: 100 mm  
Inlet Diameter: 65 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-1001285-CH**

Body Diameter: 100 mm  
Inlet Diameter: 65 mm  
Body Length: 120 mm  
Total Length: 150 mm



# Round Exhausts (100 mm)



ROUND EXHAUSTS SECTION



**PY-1001285-CHA**

Body Diameter: 100 mm  
Inlet Diameter: 65 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-1001765-CAA**

Body Diameter: 100 mm  
Inlet Diameter: 65 mm  
Body Length: 170 mm  
Total Length: 200 mm



**PY-1001765-CB**

Body Diameter: 100 mm  
Inlet Diameter: 65 mm  
Body Length: 170 mm  
Total Length: 200 mm



**PY-1001265-CAAÇ**

Body Diameter: 100 mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-1001265-CAABÇ**

Body Diameter: 100 mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-1001265-CBÇ**

Body Diameter: 100 mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 220 mm

# Round Exhausts (100 mm)



ROUND EXHAUSTS SECTION



**PY-1001265-CAMBÇ**

Body Diameter: 100 mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-1001265-CAMBÇF**

Body Diameter: 100 mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PY-1001265-CBRÇ**

Body Diameter: 100 mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 240 mm



**PY-1001265-CAM**

Body Diameter: 100 mm  
Inlet Diameter: 65 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PY-1001265-CAMF**

Body Diameter: 100 mm  
Inlet Diameter: 65 mm  
Body Length: 120 mm  
Total Length: 150 mm



# Round Exhausts (120 mm)



**PY-1201565-CA**

Body Diameter: 120 mm  
Inlet Diameter: 65 mm  
Body Length: 150 mm  
Total Length: 180 mm



**PY-1201565-CB**

Body Diameter: 120 mm  
Inlet Diameter: 65 mm  
Body Length: 150 mm  
Total Length: 180 mm

# Square Exhausts (60mmx90mm)



SQUARE EXHAUSTS SECTION



**PD-60901245-C**  
Body Diameter: 60x90 mm  
Inlet Diameter: 45 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PD-60901245-CA**  
Body Diameter: 60x90 mm  
Inlet Diameter: 45 mm  
Body Length: 120 mm  
Total Length: 150 mm



# Square Exhausts (65mmx100mm)



SQUARE EXHAUSTS SECTION



**PD-651000751-C**

Body Diameter: 65x100mm  
Inlet Diameter: 51 mm  
Body Length: 70 mm  
Total Length: 100 mm



**PD-651001251-C**

Body Diameter: 65x100mm  
Inlet Diameter: 51 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PD-651001251-CA**

Body Diameter: 65x100mm  
Inlet Diameter: 51 mm  
Body Length: 120 mm  
Total Length: 150 mm



# Square Exhausts (65mmx140mm)



SQUARE EXHAUSTS SECTION



**PD-651401551-C**

Body Diameter: 65x140mm  
Inlet Diameter: 51 mm  
Body Length: 150 mm  
Total Length: 180 mm



**PD-651401551-CA**

Body Diameter: 65x140mm  
Inlet Diameter: 51 mm  
Body Length: 150 mm  
Total Length: 180 mm



**PD-651401551-CAP**

Body Diameter: 65x140mm  
Inlet Diameter: 51 mm  
Body Length: 150 mm  
Total Length: 180 mm



# Square Exhausts (75mmx175mm)



## PD-751751754-CSP

Body Diameter: 75x175mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 180 mm



# Square Exhausts (80mmx90mm)



SQUARE EXHAUSTS SECTION



**PD-80900760-CAP**

Body Diameter: 80x90mm  
Inlet Diameter: 60 mm  
Body Length: 70 mm  
Total Length: 100 mm



**PD-80901251-C**

Body Diameter: 80x90mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PD-80901251-CA**

Body Diameter: 80x90mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PD-80901260-CAP**

Body Diameter: 80x90mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PD-80900760-CAPÇ**

Body Diameter: 80x90mm  
Inlet Diameter: 60 mm  
Body Length: 70 mm  
Total Length: 170 mm



**PD-80901260-CAPBÇ**

Body Diameter: 80x90mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



# Square Exhausts (80mmx90mm)



## PD-80901260-CAPÇ

Body Diameter: 80x90mm

Inlet Diameter: 60 mm

Body Length: 120 mm

Total Length: 220 mm

# Square Exhausts (80mmx180mm)



## PD-801801565-CA

Body Diameter: 80x180mm

Inlet Diameter: 65 mm

Body Length: 150 mm

Total Length: 180 mm

# Square Exhausts (85mmx85mm)



**PK-951251-CA**

Body Diameter: 85x85mm

Inlet Diameter: 51 mm

Body Length: 120 mm

Total Length: 150 mm

# Oval Exhausts (55mmx80mm)



OV  
AL  
EX  
HA  
UST  
S  
S  
EC  
TION



## PO-558007-C

Body Diameter: 55x80 mm  
Inlet Diameter: 45 mm  
Body Length: 70 mm  
Total Length: 100 mm



## PO-558007-CA

Body Diameter: 55x80 mm  
Inlet Diameter: 45 mm  
Body Length: 70 mm  
Total Length: 100 mm



## PO-558010-CAJ

Body Diameter: 55x80 mm  
Inlet Diameter: 45 mm  
Body Length: 100 mm  
Total Length: 120 mm



## PO-558012-C

Body Diameter: 55x80 mm  
Inlet Diameter: 45 mm  
Body Length: 120 mm  
Total Length: 150 mm



## PO-558012-CA

Body Diameter: 55x80 mm  
Inlet Diameter: 45 mm  
Body Length: 120 mm  
Total Length: 150 mm



## PO-558012-CS

Body Diameter: 50x80 mm  
Inlet Diameter: 45 mm  
Body Length: 120 mm  
Total Length: 150 mm

# Oval Exhausts (55mmx80mm)



OVAL EXHAUSTS SECTION



**PO-558017-C**

Body Diameter: 55x80 mm  
Inlet Diameter: 45 mm  
Body Length: 170 mm  
Total Length: 200 mm



**PO-558017-CA**

Body Diameter: 55x80 mm  
Inlet Diameter: 45 mm  
Body Length: 170 mm  
Total Length: 200 mm



**PO-558007-CAÇ**

Body Diameter: 55x80 mm  
Inlet Diameter: 51 mm  
Body Length: 70 mm  
Total Length: 170 mm



**PO-558012-CAÇ**

Body Diameter: 55x80 mm  
Inlet Diameter: 51 mm  
Body Length: 120 mm  
Total Length: 220 mm



# Oval Exhausts (60mmx100mm)



OV  
AL  
EX  
HA  
UST  
S  
S  
E  
C  
T  
I  
O  
N



**PO-601000751-C**

Body Diameter: 60x100mm  
Inlet Diameter: 51 mm  
Body Length: 70 mm  
Total Length: 100 mm



**PO-601000751-CA**

Body Diameter: 60x100mm  
Inlet Diameter: 51 mm  
Body Length: 70 mm  
Total Length: 100 mm



**PO-601001251-C**

Body Diameter: 60x100mm  
Inlet Diameter: 51 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PO-601001251-CA**

Body Diameter: 60x100mm  
Inlet Diameter: 51 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PO-601001551-CAP**

Body Diameter: 60x100mm  
Inlet Diameter: 51 mm  
Body Length: 150 mm  
Total Length: 180 mm



**PO-601001551-CSP**

Body Diameter: 60x100mm  
Inlet Diameter: 51 mm  
Body Length: 150 mm  
Total Length: 180 mm

# Oval Exhausts (60mmx100mm)



OVAL EXHAUSTS SECTION



**PO-601001751-C**

Body Diameter: 60x100mm  
Inlet Diameter: 51 mm  
Body Length: 170 mm  
Total Length: 200 mm



**PO-601001751-CA**

Body Diameter: 60x100mm  
Inlet Diameter: 51 mm  
Body Length: 170 mm  
Total Length: 200 mm



**PO-601001251-CAPÇ**

Body Diameter: 60x100mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 240 mm



**PO-601001251-CSPÇ**

Body Diameter: 60x100mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 240 mm



**PO-601001251-CAPBÇ**

Body Diameter: 60x100mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 240 mm



# Oval Exhausts (75mmx100mm)



OV  
AL  
EX  
HA  
UST  
S  
S  
E  
C  
T  
I  
O  
N



**PO-950760-C**

Body Diameter: 75x100mm  
Inlet Diameter: 60 mm  
Body Length: 70 mm  
Total Length: 100 mm



**PO-950760-CA**

Body Diameter: 75x100mm  
Inlet Diameter: 60 mm  
Body Length: 70 mm  
Total Length: 100 mm



**PO-951260-C**

Body Diameter: 75x100mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PO-951260-CAA**

Body Diameter: 75x100mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PO-951260-CAAP**

Body Diameter: 75x100mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PO-951560-CSP**

Body Diameter: 75x100mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 180 mm



# Oval Exhausts (75mmx100mm)



OVAL EXHAUSTS SECTION



**PO-951760-C**

Body Diameter: 75x100mm  
Inlet Diameter: 60 mm  
Body Length: 170 mm  
Total Length: 200 mm



**PO-951760-CAA**

Body Diameter: 75x100mm  
Inlet Diameter: 60 mm  
Body Length: 170 mm  
Total Length: 200 mm



**PO-951260-CAAÇ**

Body Diameter: 75x100mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PO-951260-CAPBÇ**

Body Diameter: 75x100mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PO-951560-CSPÇ**

Body Diameter: 75x100mm  
Inlet Diameter: 70 mm  
Body Length: 150 mm  
Total Length: 250 mm



**PO-951260-CAPÇ**

Body Diameter: 75x100mm  
Inlet Diameter: 70 mm  
Body Length: 120 mm  
Total Length: 220 mm

# Oval Exhausts (75mmx100mm)



OVAL EXHAUSTS SECTION

# Oval Exhausts (80mmx140mm)



OVAL EXHAUSTS SECTION



**PO-801401260-C**

Body Diameter: 80x140mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PO-801401260-CA**

Body Diameter: 80x140mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PO-801401560-CAP**

Body Diameter: 80x140mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 180 mm



**PO-801401760-C**

Body Diameter: 80x140mm  
Inlet Diameter: 60 mm  
Body Length: 170 mm  
Total Length: 200 mm



**PO-801401760-CA**

Body Diameter: 80x140mm  
Inlet Diameter: 60 mm  
Body Length: 170 mm  
Total Length: 200 mm



**PO-801401760-CSM**

Body Diameter: 80x140mm  
Inlet Diameter: 55 mm  
Body Length: 170 mm  
Total Length: 200 mm

# Oval Exhausts (80mmx140mm)



OVAl EXHAUSTS SECTION



**PO-801401760-CSP**

Body Diameter: 80x140mm  
Inlet Diameter: 60 mm  
Body Length: 170 mm  
Total Length: 200 mm



# Oval Exhausts (100mmx115mm)



OV  
AL  
EX  
HA  
UST  
S  
S  
E  
C  
T  
I  
O  
N



**PO-1151260-C**

Body Diameter:100x115mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PO-1151260-CAA**

Body Diameter:100x115mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PO-1151260-CAM**

Body Diameter:100x115mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PO-1151260-CAAP**

Body Diameter:100x115mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 150 mm



**PO-1151560-C**

Body Diameter:100x115mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 180 mm



**PO-1151560-CAA**

Body Diameter:100x115mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 180 mm

# Oval Exhausts (100mmx115mm)



OVAL EXHAUSTS SECTION



**PO-1151560-CSM**

Body Diameter:100x115mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 180 mm



**PO-1151560-CSP**

Body Diameter:100x115mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 180 mm



**PO-1151560-CAAP**

Body Diameter:100x115mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 180 mm



**PO-1151560-CAM**

Body Diameter:100x115mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 180 mm



**PO-1151260-CAPBÇ**

Body Diameter:100x115mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm



**PO-1151260-CAPÇ**

Body Diameter:100x115mm  
Inlet Diameter: 60 mm  
Body Length: 120 mm  
Total Length: 220 mm

# Oval Exhausts (100mmx115mm)



## PO-1151260-CSMÇ

Body Diameter:100x115mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 250 mm



## PO-1151260-CSPÇ

Body Diameter:100x115mm  
Inlet Diameter: 60 mm  
Body Length: 150 mm  
Total Length: 250 mm

# Oval Exhausts (100mmx160mm)



OV  
AL  
EX  
HA  
UST  
S  
S  
E  
C  
T  
I  
O  
N



## PO-1001601765-CSP

Body Diameter:100x160mm  
Inlet Diameter: 65 mm  
Body Length: 150 mm  
Total Length: 190 mm



## PO-1001601765-CSPB

Body Diameter:100x160mm  
Inlet Diameter: 65 mm  
Body Length: 150 mm  
Total Length: 190 mm



## PO-1001601765-CA

Body Diameter:100x160mm  
Inlet Diameter: 65 mm  
Body Length: 170 mm  
Total Length: 200 mm





**PS-10030435-RZ**

Body Diameter: 100 mm  
Inlet Diameter: 60-65-70-76 mm  
Body Length: 300 mm  
Total Length: 300 mm



**PS-12030425**

Body Diameter: 115 mm  
Inlet Diameter: 51-60-65 mm  
Body Length: 250 mm  
Total Length: 310 mm



**PS-12030435**

Body Diameter: 115 mm  
Inlet Diameter: 51-60-65 mm  
Body Length: 350 mm  
Total Length: 410 mm



**PS-14030425**

Body Diameter: 140 mm  
Inlet Diameter: 51-60-65-70-76 mm  
Body Length: 250 mm  
Total Length: 310 mm



**PS-14030435**

Body Diameter: 140 mm  
Inlet Diameter: 51-60-65-70-76 mm  
Body Length: 350 mm  
Total Length: 410 mm



**PS-16030425**

Body Diameter: 100x160 mm  
Inlet Diameter: 51-60-65-70 mm  
Body Length: 250 mm  
Total Length: 310 mm



**PS-16030435**

Body Diameter: 100x160 mm  
Inlet Diameter: 51-60-65-70 mm  
Body Length: 350 mm  
Total Length: 410 mm



**PS-16030450-OYY**

Body Diameter: 100x160 mm  
Inlet Diameter: 60-65 mm  
Body Length: 500 mm  
Total Length: 500 mm



**PS-18030425**

Body Diameter: 80x180 mm  
Inlet Diameter: 51-60-65 mm  
Body Length: 250 mm  
Total Length: 250 mm



**PS-22030425**

Body Diameter: 100x220 mm  
Inlet Diameter: 60-65-70-76 mm  
Body Length: 250 mm  
Total Length: 250 mm



**PS-22030435**

Body Diameter: 100x220 mm  
Inlet Diameter: 60-65-70-76 mm  
Body Length: 350 mm  
Total Length: 350 mm



**PS-24030435**

Body Diameter: 150x240 mm  
Inlet Diameter: 60-65-70-76 mm  
Body Length: 350 mm  
Total Length: 350 mm



**PS-22030435-ÇÇ**

Body Diameter: 100x220 mm  
Inlet Diameter: 60-65 mm  
Body Length: 350 mm  
Total Length: 350 mm



**PS-24030435-ÇÇ**

Body Diameter: 150x240 mm  
Inlet Diameter: 60-65 mm  
Body Length: 350 mm  
Total Length: 350 mm



**PS-22030450-OYY**

Body Diameter: 100x220 mm  
Inlet Diameter: 60-65 mm  
Body Length: 500 mm  
Total Length: 500 mm



**PS-24030450-OYY**

Body Diameter: 150x240 mm  
Inlet Diameter: 60-65 mm  
Body Length: 500 mm  
Total Length: 500 mm



**PS-10030425-RZ**

Body Diameter: 100 mm  
Inlet Diameter: 65-76 mm  
Body Length: 250 mm  
Total Length: 250 mm





**PS-10030425-A**

Body Diameter: 100 mm  
Inlet Diameter: 35-45-51 mm  
Body Length: 250-350 mm  
Total Length: 280-380 mm



**PS-10030425-U**

Body Diameter: 100 mm  
Inlet Diameter: 35-45-51 mm  
Body Length: 250-350 mm  
Total Length: 280-380 mm



**PS-10030425-AR**

Body Diameter: 100 mm  
Inlet Diameter: 35-45-51 mm  
Body Length: 250-350 mm  
Total Length: 280-380 mm



**PS-10030425-AK**

Body Diameter: 100 mm  
Inlet Diameter: 35-45-51 mm  
Body Length: 250-350 mm  
Total Length: 280-380 mm



**PS-10030435-A**

Body Diameter: 100 mm  
Inlet Diameter: 35-45-51 mm  
Body Length: 250-350 mm  
Total Length: 280-380 mm



**PS-10030435-U**

Body Diameter: 100 mm  
Inlet Diameter: 35-45-51 mm  
Body Length: 250-350 mm  
Total Length: 280-380 mm



**PS-11030425-A**

Body Diameter: 110 mm  
Inlet Diameter: 35-45-51 mm  
Body Length: 250-350 mm  
Total Length: 280-380 mm



**PS-11030425-AS**

Body Diameter: 110 mm  
Inlet Diameter: 35-45-51 mm  
Body Length: 250-350 mm  
Total Length: 280-380 mm



**PS-11030425-AR**

Body Diameter: 110 mm  
Inlet Diameter: 35-45-51 mm  
Body Length: 250-350 mm  
Total Length: 280-380 mm



**PS-11030425-AB**

Body Diameter: 110 mm  
Inlet Diameter: 35-45-51 mm  
Body Length: 250-350 mm  
Total Length: 280-380 mm



**PS-11030425-AK**

Body Diameter: 110 mm  
Inlet Diameter: 35-45-51 mm  
Body Length: 250-350 mm  
Total Length: 280-380 mm



**PS-11030435-A**


Body Diameter: 110 mm  
Inlet Diameter: 35-45-51 mm  
Body Length: 250-350 mm  
Total Length: 280-380 mm



**PS-11530425-U**  
Body Diameter: 80x140 mm  
Inlet Diameter: 35-45-51 mm  
Body Length: 250-350 mm  
Total Length: 280-380 mm



**PS-14030425-U**  
Body Diameter: 100x160 mm  
Inlet Diameter: 35-45-51 mm  
Body Length: 250-350 mm  
Total Length: 280-380 mm



# Remote Control Exhausts



## RCE-63-304

Body Diameter: 140 mm  
Inlet Diameter: 63 mm  
Body Length: 350 mm  
Total Length: 350 mm  
Material: 304L Stainless Steel



## RCE-76-304

Body Diameter: 160 mm  
Inlet Diameter: 76 mm  
Body Length: 350 mm  
Total Length: 350 mm  
Material: 304L Stainless Steel




## RCE-63-430

Body Diameter: 140 mm  
Inlet Diameter: 63 mm  
Body Length: 350 mm  
Total Length: 350 mm  
Material: 430L Stainless Steel



## RCE-76-430

Body Diameter: 160 mm  
Inlet Diameter: 76 mm  
Body Length: 350 mm  
Total Length: 350 mm  
Material: 430L Stainless Steel




**FL-51**

Width: 124 mm  
Height: 76 mm  
Bolt Circle: 89 mm  
Slot Height: 13 mm  
Thickness: 8-10 mm  
Size: 51 mm




**FL-57**

Width: 133 mm  
Height: 89 mm  
Bolt Circle: 102 mm  
Slot Height: 13 mm  
Thickness: 8-10 mm  
Size: 57 mm



**FL-63.5**

Width: 133 mm  
Height: 89 mm  
Bolt Circle: 102 mm  
Slot Height: 13 mm  
Thickness: 8-10 mm  
Size: 63.5 mm



**FL-70**

Width: 133 mm  
Height: 93 mm  
Bolt Circle: 99 mm  
Slot Height: 13 mm  
Thickness: 8-10 mm  
Size: 70 mm



**FL-76**

Width: 128 mm  
Height: 94 mm  
Bolt Circle: 105 mm  
Slot Height: 13 mm  
Thickness: 8-10 mm  
Size: 76 mm





# Clamps



CLAMPS SECTION



**CL-55\_59**

Size: 55x59 mm  
Material: 304L Stainless Steel



**CL-59\_63**

Size: 59x63 mm  
Material: 304L Stainless Steel



**CL-63\_68**

Size: 63x68 mm  
Material: 304L Stainless Steel



**CL-68\_73**

Size: 68x73 mm  
Material: 304L Stainless Steel



**CL-73\_79**

Size: 73x79 mm  
Material: 304L Stainless Steel

# Perforated Pipes



PERFORATED PIPES SECTION

## PP-22 mm



Body Diameter: 22 mm  
Bore Diameter: 3-4-5 mm  
Body Length: Max 500 mm  
Material: 430L Stainless Steel

\*Please ask for other dimensions.

## PP-35 mm



Body Diameter: 35 mm  
Bore Diameter: 3-4-5 mm  
Body Length: Max 500 mm  
Material: 430L Stainless Steel

\*Please ask for other dimensions.

## PP-45 mm



Body Diameter: 45 mm  
Bore Diameter: 3-4-5 mm  
Body Length: Max 500 mm  
Material: 430L Stainless Steel

\*Please ask for other dimensions.

## PP-51 mm



Body Diameter: 51 mm  
Bore Diameter: 3-4-5 mm  
Body Length: Max 500 mm  
Material: 430L Stainless Steel

\*Please ask for other dimensions.

## PP-60 mm



Body Diameter: 60 mm  
Bore Diameter: 3-4-5 mm  
Body Length: Max 500 mm  
Material: 430L Stainless Steel

\*Please ask for other dimensions.

## PP-63.5



Body Diameter: 63.5 mm  
Bore Diameter: 3-4-5 mm  
Body Length: Max 500 mm  
Material: 430L Stainless Steel

\*Please ask for other dimensions.

# Perforated Pipes



PERFORATED PIPES SECTION



**PP-70 mm**

Body Diameter: 70 mm  
Bore Diameter: 3-4-5 mm  
Body Length: Max 500 mm  
Material: 430L Stainless Steel

\*Please ask for other dimensions.



**PP-76 mm**

Body Diameter: 76 mm  
Bore Diameter: 3-4-5 mm  
Body Length: Max 500 mm  
Material: 430L Stainless Steel

\*Please ask for other dimensions.



**PP-90 mm**

Body Diameter: 90 mm  
Bore Diameter: 3-4-5 mm  
Body Length: Max 500 mm  
Material: 430L Stainless Steel

\*Please ask for other dimensions.





**ASTM Standart :** 304 L  
**EN Standart :** 14.306  
**UNS Standart :** S30453  
**Class :** Austenitic  
**Product Type :** Hot and cold rolled sheet, strip, plate, bar, etc...

<b>Chemical Composition :</b>	<b>C</b>	<b>Cr</b>	<b>Ni</b>
<b>Max :</b>	0,03	20	12
<b>Min :</b>	0	18	8

**Corrosion Resistance :** Atmospheric corrosion resistance are excellent. Neutral in a damp, non-alkaline environments and chloride corrosion resistance in acidic environment is good. In many other environments 304 grade stainless steel has sufficient corrosion resistance. There is no danger of rusting architectural applications. In addition to the food processing environment is suitable, easy to clean, organic chemicals and is resistant to many chemicals. Corrosion in chloride environments are prone to warm.

**Corrosion Resistance :** The most widely used stainless steel type. Corrosion resistance, weldability and cold-forming ability of being able to be very good because the 304 stainless steel finds wide application area. Household appliances, washing machines, kitchen devices, architectures, and automated application can be shown as an example. Besides this, fermentation equipment, food processing plants and nitrogen plants are preferred. After welding speed (in water) cooled 6mm to be thicker materials in the manufacture of parts to be used, otherwise you'll slow cooling in the carbide precipitation is subject to intergranular corrosion sensitivity. 304 grade stainless steel, liquefied gases are present at very low temperatures is even with excellent toughness, is an ideal material for use in many low temperature.



# AES Arslan Exhaust Systems



**Adress** : Esensehir Mahallesi  
Arslan Sokak No:22-A  
Umraniye-Istanbul  
TURKIYE

**Phone** : +90 216 420 25 43  
+90 216 420 25 44

**Fax** : +90 216 364 48 79

**e-mail** : [info@aesarслан.com](mailto:info@aesarслан.com)  
[www.aesarслан.com](http://www.aesarслан.com)